



3-19-03 12032003 0003030718
ARTER & HADDEN LLP

ATTORNEYS AT LAW

founded 1843

1717 Main Street, Suite 4100
Dallas, Texas 75201-4605
telephone 214.761.2100
facsimile 214.741.7139

Robert Groover III, Reg'd Patent Atty.

March 18, 2003, via Express Mail

Commissioner of Patents
Box MISSING PARTS
Washington DC 20231
Re: Patent Application 10/071,895 of
3Dlabs, Inc., filed 02/08/2002
Inventorship: Laws *et al.*
Title: Rasterizer Edge Function
Optimizations (Docket No. TD-
164 (78309/26328))

Honorable Commissioner:

Enclosed are formal drawings and a check in the amount of \$110.00. These drawings are being filed in response to a **Notice to File Corrected Application Papers** mailed 12/26/2002 (copy attached).

The correct amount of fee is believed to be as follows (but in any case the Commissioner is requested to grant any extension necessary to prevent abandonment).

FEE CALCULATION - LARGE ENTITY

Fourth Month Extension	\$110
<u>TOTAL FEE:</u>	\$110

Respectfully submitted,


Robert Groover, Registration No. 30,059

03/24/2003 SDIRETA1 00000045 10071895

01 FC:1251

110.00 0P

MAR 18 2003



Commissioner for Patents
Washington, DC 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/071,895	02/08/2002	Philip R. Laws	TD-164

Robert Groover (Patent Docketing)
Arter & Hadden LLP
1100 Huntington Bldg
925 Euclid Ave
Cleveland, OH 44115

CONFIRMATION NO. 8706

FORMALITIES LETTER



OC000000009297483

Date Mailed: 12/26/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
 - The drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch). See Figures(s) 2.

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE